

# Notice of Allowability

Application No.

09/883,402

Applicant(s)

DURET ET AL.

Examiner

Samuel Broda

Art Unit

2123

## -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to Applicants' Amendment sent via facsimile on 14 March 2005.
2. ☒ The allowed claim(s) is/are 19-48.
3. ☒ The drawings filed on 14 March 2005 are accepted by the Examiner.
4. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☒ All    b) ☐ Some\*    c) ☐ None    of the:
    1. ☒ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
  6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
    - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
      - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
    - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

### Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08),  
Paper No./Mail Date \_\_\_\_\_
4. ☐ Examiner's Comment Regarding Requirement for Deposit  
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),  
Paper No./Mail Date \_\_\_\_\_
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_



**SAMUEL BRODA, ESQ.  
PRIMARY EXAMINER**

Art Unit: 2123

1. This communication is in response to Applicants' Amendment sent via facsimile on 14 March 2005. In the Amendment, claims 1-18 were canceled and new claims 19-48 were added. Claims-19-48 are pending.

***Reasons for Allowance***

2. The following is an Examiner's statement of reasons for the indication of allowable subject matter:

The closest prior art of record shows:

- (1) a two-phase heat-flow analyzing method including simulation of volume regions as nodes (Kitmura et al, U. S. Patent 6,434,495);
- (2) a multigrid method (John et al, "A Coupled Multigrid Method for Nonconforming Finite Element Discretizations of the 2D-Stokes Equation"); and
- (3) an introduction to methods of solving pipeline networks (Pieper, "Observations on Convergence Problems of Pipeline Networks").

**2.1 Applicants' set of claims consists of claims 19-48.**

Independent claim 19 is directed to an automatic gridding method of a pipe for modeling fluids carried by the pipe. This claim identifies the distinct limitations of: "positioning a cell, whose size is at most equal to the maximum cell size, in a central part of each section and defining two intermediate portions delimited by each cell of the minimum size and the cell whose size is at most equal to the maximum size" and "gridding the pipe by distributing on the

Art Unit: 2123

two intermediate portions intermediate cells of increasing or decreasing sizes from the minimum cell size to the size of the cell whose size is at most equal to the maximum cell size.”

Because the closest prior art does not appear to teach or suggest automatic gridding by positioning smallest and largest cells followed by gridding the remaining cells and cell sizes, claims 19-48 are deemed allowable.

3. Any comments considered necessary by Applicants must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled “Comments on Statement of Reasons for Allowance.”

4. Any inquiry concerning this communication or earlier communications from the Examiner should be directed to Samuel Broda, whose telephone number is (571) 272-3709. The Examiner can normally be reached on Mondays through Fridays from 8:00 AM – 4:30 PM.

If attempts to reach the Examiner by telephone are unsuccessful, the Examiner’s supervisor, Kevin Teska can be reached at (571) 272-3716. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the group receptionist, whose telephone number is (571) 272-2100.



**SAMUEL BRODA, ESQ.  
PRIMARY EXAMINER**